
tet No.: TPI-0329


mentors: Robert J. Anderson et al.
Filing Date: 07/18/2001; Serial No.: 09/908,998
Title: METHOD FOR ESTIMATING TDOA AND
FDOA IN A WIRELESS LOCATION SYSTEM
Attorney: Michael D. Stein Phone: 206.332.1380
Page 1 of 24



et No.: TPI-0329

Title: METHOD FOR ESTIMATING TOOA AND FOOA IN A WIRELESS LOCATION SYSTEM Attorney: Michael D. Stein Phone: 206.332.1380

Page 2 of 24



Robert J. Anderson et al. inventors: Filing Date: 07/18/2001; Serial No.: 09/908,998
Title: METHOD FOR ESTIMATING TDOA AND
FDOA IN A WIRELESS LOCATION SYSTEM Attorney: Michael D. Stein Phone: 206.332.1380
Page 3 of 24




FIGURE 2

et No.: TPI-0329

tors: Robert J. Anderson et al.

Fining Date: 07/18/2001; Serial No.: 09/908,998
Title: METHOD FOR ESTIMATING TDOA AND
FDOA IN A WIRELESS LOCATION SYSTEM
Attorney: Michael D. Stein Phone: 206.332.1380Page

4 of 24






FIGURE 2A

cket No.: TPI-0329

Nentors: Robert J. Anderson et al.


Filing Date: 07/18/2001; Serial No.: 09/908,998

Title: METHOD FOR ESTIMATING TOOA AND

FDOA IN A WIRELESS LOCATION SYSTEM

TO A STATE OF THE PROPER 206 312 1800 p.g. Attorney: Michael D. Stein Phone: 206.332.1380Page

5 of 24



100

FIGURE 2B




FIGURE 2C

htors: TPI-0329
Robert J. Anderson et al.
Thing Date: 07/18/2001; Serial No.: 09/908,998

Title: METHOD FOR ESTIMATING TDOA AND FDOA IN A WIRELESS LOCATION SYSTEM Attorney: Michael D. Stein Phone: 206.332.1380 Page 6 of 24

FIRST WIRELESS
TRANSMITTER ENGAGED
IN TRANSMITTING ON A
PARTICULAR RF CHANNEL

WLS TRIGGERS ON MAKING A LOCATION ESTIMATE OF FIRST WIRELESS TRANSMITTER

WLS DETERMINES CELL
SITE, SECTOR, RF
CHANNEL, TIMESLOT, MASK
AND ENCRYPTION KEY
CURRENTLY IN USE BY
FIRST WIRELESS
TRANSMITTER

WLS TUNES FIRST
NARROWBAND RECEIVER
AT FIRST SCS 10 TO RF
CHANNEL AND TIMESLOT AT
DESIGNATED CELL SITE
AND SECTOR

FIRST SCS RECEIVES TIME
SEGMENT OF RF DATA AND
EVALUATES POWER, SNR
AND MODULATION
CHARACTERISTICS, AND,
IF POWER OR SNR IS BELOW
PREDETERMINED
THRESHOLD, WLS WAITS
PREDETERMINED TIME AND
RETURNS TO 3RD STEP

IF TRANSMISSION IS AMPS
VOICE CHANNEL
TRANSMISSION AND
MODULATION IS BELOW
THRESHOLD, THEN WLS
COMMANDS THE WIRELESS
SYSTEM TO SEND COMMAND
TO FIRST WIRELESS
TRANSMITTER TO CAUSE
"BLANK AND BURST" ON
FIRST WIRELESS
TRANSMITTER

WLS REQUESTS WIRELESS SYSTEM TO PREVENT HAND-OFF OF WIRELESS TRANSMITTER TO ANOTHER RF CHANNEL FOR PREDETERMINED PERIOD

WLS RECEIVES RESPONSE
INDICATING TIME PERIOD
DURING WHICH 1ST
TRANSMITTER WILL BE
PREVENTED FROM HANDINGOFF AND, IF COMMANDED, TIME
PERIOD DURING WHICH
SYSTEM WILL SEND COMMAND
TO 1ST TRANSMITTER TO
CAUSE "BLANK AND BURST"

WLS DETERMINES LIST OF ANTENNAS THAT WILL BE USED IN LOCATION PROCESSING

WLS DETERMINES
EARLIEST TIMESTAMP AT
WHICH NARROWBAND
RECEIVERS ARE AVAILABLE
TO BEGIN COLLECTING RF
DATA

WLS COMMANDS
NARROWBAND RECEIVERS
TO TUNE TO CELL SITE,
SECTOR AND RF CHANNEL
CURRENTLY IN USE BY 1ST
TRANSMITTER AND TO
RECEIVE RF DATA FOR
PREDETERMINED DWELL
TIME

RF DATA RECEIVED BY NARROWBAND RECEIVERS IS WRITTEN INTO DUAL PORT MEMORY LOCATION PROCESSING ON RECEIVED RF DATA COMMENCES

WLS AGAIN
DETERMINES CELL SITE,
SECTOR, RF CHANNEL,
TIMESLOT, MASK AND
ENCRYPTION KEY
CURRENTLY IN USE BY
1ST TRANSMITTER

IF CELL SITE, SECTOR,
RF CHANNEL,
TIMESLOT, MASK AND
ENCRYPTION KEY
CURRENTLY IN USE BY
1ST TRANSMITTER HAS
CHANGED BETWEEN
QUERIES, WLS CEASES
LOCATION
PROCESSING, CAUSES
ALERT MESSAGE AND
RE-TRIGGERS ENTIRE
PROCESS

LOCATION PROCESSING ON RECEIVED RF DATA COMPLETES

FIGURE 2C-1

ket No.: TPI-0329

Robert J. Anderson et al. ntors:

Tring Date: 07/18/2001; Serial No.: 09/908,998
Title: METHOD FOR ESTIMATING TDOA AND FDOA IN A WIRELESS LOCATION SYSTEM Attorney: Michael D. Stein Phone: 206.332.1380Page

7 of 24




FIGURE 2D

tet No.: TPI-0329
tors: Robert J. Anderson et al.
Fring Date: 07/18/2001; Serial No.: 09/908,998
Title: METHOD FOR ESTIMATING TDOA AND
FDOA IN A WIRELESS LOCATION SYSTEM
Attorney: Michael D. Stein Phone: 206.332.1380Page
8 of 24




FIGURE 2E

tet No.: TPI-0329 Robert J. Anderson et al. ntors: Filing Date: 07/18/2001; Serial No.: 09/908,998 Title: METHOD FOR ESTIMATING TOOA AND FDOA IN A WIRELESS LOCATION SYSTEM Attorney: Michael D. Stein Phone: 206.332.1380 Page 9 of 24 FOR EACH POSSIBLE CONTROL AND/OR VOICE CHANNEL WHICH MAY BE USED IN THE COVERAGE AREA OF THE SCS, ESTABLISH PEG COUNTERS **S7-1** AT THE START OF A DETECTION PERIOD, RESET ALL PEG COUNTERS TO ZERO **S7-2** EACH TIME A TRANSMISSION OCCURS IN A SPECIFIED RF CHANNEL AND THE RECEIVED POWER LEVEL IS ABOVE PRE-SET THRESHOLD, INCREMENT PEG COUNTER FOR THAT CHANNEL **S7-3** EACH TIME A TRANSMISSION OCCURS IN A SPECIFIED RF CHANNEL AND THE RECEIVED POWER LEVEL IS ABOVE SECOND PRE-SET THRESHOLD, ATTEMPT TO DEMODULATE A PORTION OF THE TRANSMISSION USING A FIRST PREFERRED PROTOCOL **S7-4** IF DEMODULATION IS SUCCESSFUL, INCREMENT SECOND PEG COUNTER FOR THAT CHANNEL **S7-5** TRANSMISSION USING A SECOND PREFERRED PROTOCOL

IF DEMODULATION IS UNSUCCESSFUL, ATTEMPT TO DEMODULATE A PORTION OF THE

S7-6

IF DEMODULATION IS SUCCESSFUL, INCREMENT THIRD PEG COUNTER FOR THAT CHANNEL

S7-7

AT THE END OF A DETECTION PERIOD, READ ALL PEG COUNTERS


S7-8


AUTOMATICALLY ASSIGN PRIMARY CHANNELS BASED UPON PEG COUNTERS

S7-9

ocket No.: TPI-0329
ventors: Robert J. Anderson et al.
Filing Date: 07/18/2001; Serial No.: 09/908,998
Title: METHOD FOR ESTIMATING TDOA AND
FDOA IN A WIRELESS LOCATION SYSTEM
TO A STORY OF THE PROPERTY OF Attorney: Michael D. Stein Phone: 206.332.1380

Page 10 of 24






Docket No.: TPI-0329
Inventors: Robert J. Anderson et al.

Filing Date: 07/18/2001; Serial No.: 09/908,998
Title: METHOD FOR ESTIMATING TDOA AND
FDOA IN A WIRELESS LOCATION SYSTEM
Attorney: Michael D. Stein Phone: 206.332.1380

Page 11 of 24



ventors: Robert J. Anderson et al.
ling Date: 07/18/2001; Serial No.: 09/908,998
Title: METHOD FOR ESTIMATING TDOA AND
FDOA IN A WIRELESS LOCATION SYSTEM

Attorney: Michael D. Stein Phone: 206.332.1380

Page 12 of 24




FIGURE 21




FIGURE 2J

PLACE STANDARD **WIRELESS TRANSMITTERS COMPUTE ERROR** AT VARIOUS POINTS WITHIN **BETWEEN CALCULATED** WLS COVERAGE AREA LOCATION DETERMINED BY LOCATION PROCESSING S30 AND STORED LOCATION **DETERMINED BY SURVEY S35** SURVEY POINTS AT WHICH **FIXED PHONES HAVE BEEN** STORE LOCATION, ERROR PLACED TO DETERMINE VALUE AND OTHER THEIR LOCATION TO WITHIN **MEASURED PARAMETERS** PREDETERMINED DISTANCE ALONG WITH TIME STAMP IN **AP DATABASE S31 S36** STORE SURVEYED MONITOR INSTANT ERROR AND LOCATIONS IN TABLE IN AP OTHER MEASURED PARAMETERS (EXTENDED LOCATION RECORD) **S32** AND COMPUTE STATISTICAL VALUES OF ERROR(S) AND OTHER **MEASURED PARAMETERS S37** PERMIT FIXED PHONES TO **REGISTER AT RATE AND** INTERVAL SET BY THE **WIRELESS SYSTEM** IF ANY ERROR OR OTHER VALUE **S33 EXCEEDS PRE-DETERMINED** THRESHOLD OR HISTORICAL STATISTICAL VALUE, SIGNAL ALARM TO WLS OPERATOR AT EACH REGISTRATION **S38** TRANSMISSION BY FIXED PHONE, LOCATE PHONE **USING NORMAL LOCATION PROCESSING**


Pocket No.: TPI-0329

ventors:

Robert J. Anderson et al.

Filing Date: 07/18/2001; Serial No.: 09/908,998
Title: METHOD FOR ESTIMATING TDOA AND FDOA IN A WIRELESS LOCATION SYSTEM Attorney: Michael D. Stein Phone: 206.332.1380 Page 13 of 24

S34



t No.: TPI-0329

prs: Robert J. Anderson et al.
Phing Date: 07/18/2001; Serial No.: 09/908,998
Title: METHOD FOR ESTIMATING TDOA AND
FDOA IN A WIRELESS LOCATION SYSTEM
Attorney: Michael D. Stein Phone: 206.332.1380
Page 14 of 24

FIGURE 2L

Robert J. Anderson et al.
Filin ate: 07/18/2001; Serial No.: 09/908,998
Title: METHOD FOR ESTIMATING TDOA AND
FDOA IN A WIRELESS LOCATION SYSTEM Attorney: Michael D. Stein Phone: 206.332.1380

Page 15 of 24





FIGURE 3

TPI-0329 tors: Robert J. Anderson et al.


Fining Date: 07/18/2001; Serial No.: 09/908,998
Title: METHOD FOR ESTIMATING TDOA AND
FDOA IN A WIRELESS LOCATION SYSTEM
Attorney: Michael D. Stein Phone: 206.332.1380

Page 16 of 24

1 ;



DYNAMIC COOPERATION TABLE



inventors: Robert J. Anderson et al.
Filing Date: 07/18/2001; Serial No.: 09/908,998
Title: METHOD FOR ESTIMATING TDOA.AND
FDOA IN A WIRELESS LOCATION SYSTEM

Attorney: Michael D. Stein Phone: 206.332.1380 Page 17 of 24




FIGURE 4

Docket No.: TPI-0329 Eventors: Robert J. Anderson et al.

iling Date: 07/18/2001; Serial No.: 09/908,998
Title: METHOD FOR ESTIMATING TDOA AND
FDOA IN A WIRELESS LOCATION SYSTEM
Attorney: Michael D. Stein Phone: 206.332.1380

Page 18 of 24





FIGURE 4A



ket No.: TPI-0329

ntors:

Robert J. Anderson et al.

Fring Date: 07/18/2001; Serial No.: 09/908,998
Title: METHOD FOR ESTIMATING TOOA AND
FDOA IN A WIRELESS LOCATION SYSTEM
Attorney: Michael D. Stein Phone: 206.332.1380

FIGURE 5


WIRELESS IF TRIGGERED, FIRST SCS TRANSMITTER FIRST SCS AND EACH **DEMODULATES INITIATES** SECOND SCS CREATE FIRST TRANSMISSION AND TRANSMISSION ON **RE-MODULATED SIGNAL DETERMINES APPROPRIATE EITHER CONTROL** AND PHASE CORRECTION PHASE CORRECTION **CHANNEL OR VOICE** AND AMPLITUDE INTERVAL. CHANNEL **CORRECTION PARAMETERS S66 S60 S71** FOR EACH PHASE CORRECT. TRANSMISSION INTERVAL, FIRST SCS FIRST SCS AND EACH RECEIVED AT MULTIPLE **CALCULATES PHASE** SECOND SCS PERFORM **ANTENNAS AND** CORRECTION & AMP. TDOA, FDOA & MULTIPATH **MULTIPLE SCS'S** CORRECTION, AND ENCODES **MITIGATION USING DATA** PHASE AND AMP. STORED IN MEMORY & FIRST **S61 CORRECTION PARAMETERS RE-MODULATED SIGNAL** ALONG WITH DEMODULATED **DATA S72** TRANSMISSION **CONVERTED INTO S67 DIGITAL FORMAT IN** TDOA, FDOA, AND RECEIVER CONNECTED **MULTIPATH MITIGATION** TO EACH ANTENNA DATA SENT FROM FIRST SCS **DEMODULATED DATA AND** AND EACH SECOND SCS TO **S62** PHASE CORRECTION AND TLP AMPLITUDE CORRECTION PARAMETERS SENT FROM **S73** FIRST SCS TO TLP **DIGITAL DATA STORED** IN MEMORY IN SCS **S68 S63** TLP PERFORMS POSITION AND SPEED DETERMINATION TLP DETERMINES SCS'S AND **USING TDOA DATA** RECEIVING ANTENNAS TO S74 **USE IN LOCATION** TRANSMISSION **PROCESSING** DEMODULATED **S69 S64** TLP CREATES LOCATION TLP SENDS DEMODULATED RECORD, AND FORWARDS **DATA AND PHASE** LOCATION RECORD TO AP **WLS DETERMINES CORRECTION AND** WHETHER TO BEGIN **AMPLITUDE CORRECTION S75 LOCATION PROCESSING** PARAMETERS TO EACH SECOND SCS THAT WILL BE **S65 USED IN LOCATION PROCESSING S70** FIGURE 6

Docket No.: TPI-0329

nventors:

Robert J. Anderson et al.

Filing Date: 07/18/2001; Serial No.: 09/908,998
Title: METHOD FOR ESTIMATING TDOA AND
FDOA IN A WIRELESS LOCATION SYSTEM
Attorney: Michael D. Stein Phone: 206.332.1380Page
20 of 24




Inventors:

Robert J. Anderson et al.

Filing Date: 07/18/2001; Serial No.: 09/908,998

FIGURE 7



Inventors:

. 3

Robert J. Anderson et al.

FIGURE 8

Docket No.: TPI-0329
Lentors: Robert J. Anderson et al.
Ling Date: 07/18/2001; Serial No.: 09/908,998
Title: METHOD FOR ESTIMATING TDOA AND
FDOA IN A WIRELESS LOCATION SYSTEM Attorney: Michael D. Stein Phone: 206.332.1380Page
23 of 24




FIGURE 9

Pocket No.: TPI-0329
Robert J. Anderson et al.

31.5

Filing Date: 07/18/2001; Serial No.: 09/908,998
Title: METHOD FOR ESTIMATING TDOA AND
FDOA IN A WIRELESS LOCATION SYSTEM
Attorney: Michael D. Stein Phone: 206.332.1380

Page 24 of 24

